



博客斯装配式建筑

BOXER prefabricated building technology R&D Co.,Ltd

BOXER CATALOG

2025

Wuhan, Chin

Infuse cities with vibrancy and enable journeys to embrace scenic intimacy



Assemble
Container
House

快拼系列

A01

A02

A03

A04

A05

Assemble Container House-A01

Assembled container (A01)		
description		
1080 USD/unit		Price are quoted EXW Exclude GST in USD
1	Item	Fully assembled container house-A01
2	size	L5950 ×W3000 × H2800
3	specification	Warranty: 10 YEAR Soun Insulation: ≥20dB waterproofness: H G movable load : 2.0kN/m²
		wind-resistant performance: 0.50kN/m² fireproof performance: A anti-seismic property: 8 P movable load: 1.0kN/m²



Assemble Container House-A01

specifications									
1.	Main frame	Dachra hmen	slender beam: 2.3mm,160mm	2pc	4.	TUBE	Top purlin	50*50 , TH 1.4mm	2pc
			short beam: 2.3mm, 160mm	2pc				40*60 , TH 1.1mm	1pc
		Base frame	slender beam: 2.3mm,160mm	2pc				40*60 , TH 1.1mm	6pc
			short beam: 2.3mm, 160mm	2pc			slamming stile	20*40 , TH 1.0mm	1pc
		uprig ht	2.3mmGalvanized column , width160mm*160mm	4pc	5.	wallboard	rock wool board , 950/ 0.3m volume-weight 55kg/m	1set	
			high-strength bolt	64pc	6.	Steel door	925*2030 , 0.35mm	1set	
		corner fitting	160mm*160mm , wall thickness 3.5mm	8pc	7.	window	925*1100mm	2set	
		2.	enclosure spray		electrostatic spraying	1set	8.	FC	fiber cement board 1.8mm , 1 147mm* 2795mm Warranty 5 years
3.	slide valve strip groove		TH 0.9mm	2pc	9.	roofing tile	TH 0.38mm	6pc	
			TH 0.9mm	2pc	10.	Ceiling tile	TH 0.2mm	6pc	
4.	Tube	Chassis purlin	SIZE 50*100 , TH1.1mm	9pc	11.	cotton	50mm Glass fiber insulation foam	1 roll	
			SIZE 20*20 , TH 0.9mm	2pc	12.	interior trim	Color steel shade Angle line shade Angle	1 roll	
					13.	Sub-M	screws, structural glue, etc	1 roll	
					14.	circuit	switch	+200/set	

Assemble Container House-A02

Assembled container basic data (A02)			
description			
822 USD/unit		Price are quoted EXW Exclude GST in USD	
1	Item	Fully assembled container house-A02	
2	size	L5950*W3000*2800	
3	specification	Warranty: 10 YEAR Soun Insulation: ≥20dB waterproofness: H G movable load : 2.0kN/m²	wind-resistant performance: 0.50kN/m² fireproof performance: A anti-seismic property: 8 roof movable load: 1.0kN/m²



Assemble Container House-A02

specifications									
1.	Main frame	Dachra hmen	Slender beam: 2.0mm, Height160mm	2pc	4.	TUBE	TOP Purlin	50*50, TH1.4mm	2pc
			short beam: 2.0mm, Height160mm	2pc				40*80, TH1.1mm	3pc
		Base frame	Slender beam: 2.0mm, Height160mm	2pc				40*60, TH1.1mm	6pc
			short beam: 2.0mm, Height160mm	2pc	slammin g stile	20*40, TH1.0mm	1pc		
		uprig ht	2.0mm, W:160mm*160mm	4pc	5.	wallboard	rock wool board , 950/ 0.3m volume-weight 55kg/m	1set	
			hight-strength bolt	64pc	6.	Steel door	925*1970 , 0.35mm	1set	
		corner fitting	160mm*160mm, TH3.5mm	8pc	7.	Window	0.28m, 925*1200mm	2pc	
		2.	enclosure spray		electrostatic spraying	1set	8.	FC	fiber cement board 1.8mm , 1 147mm* 2795mm Warranty 5 years
3.	slide valve strip groove		TH0.9mm	2pc	9.	roofing tile	TH0.38mm	6pc	
			TH0.9mm	2pc	10.	Ceiling tile	TH0.2mm	6pc	
4.	TUBE	Chassis purlin	50*100 , TH1.1mm	9pc	11.	cotton	50mm Glass fiber insulation foam	1roll	
			20*20 , TH0.9mm	2pc	12.	interior trim	Color steel shade Angle line shade Angle	1set	
					13.	Sub-M	screws, structural glue, etc	1set	
					14.	circuit	switch	+200/set	

Assemble Container House-A03

Assembled container (A03)			
description			
772 USD/unit		Price are quoted EXW Exclude GST in USD	
1	item	Fully assembled container house	
2	SIZE	L5950 ×W3000 × H2800	
3	specification	Warranty: 10 YEAR Soun Insulation: ≥20dB waterproofness: H Ground movable load : 2.0kN/m²	wind-resistant performance: 0.50kN/m² fireproof performance: A anti-seismic property: 8 roof movable load: 1.0kN/m²



Assemble Container House-A03

specifications									
1.	Main frame	Dachra hmen	Slender beam: 1.5mm, Height160mm	2pc	4.	TUBE	TOP Purlin	50*50, TH1.4mm	2pc
			short beam: 1.5mm , Height160mm	2pc				40*80 , TH1.0mm	3pc
		Base frame	Slender beam: 1.5mm , Height160mm	2pc				40*60 , TH1.0mm	6pc
			short beam: 1.5mm , Height160mm	2pc			slammin g stile	20*40 , TH1.0mm	1pc
		uprig ht	1.5mm , W:160mm*160mm	4pc	5.	wallboard		rock wool board , 950/ 0. 18m volume-weight 45kg/m	1set
			hight-strength bolt	64pc	6.	Steel door		925*1970 , 0.35mm	1set
		corner fitting	160mm*160mm , TH3.5mm	8pc	7.	Window		0.28m, 925*1200mm	2pc
2.	enclosure spray		electrostatic spraying	1set	8.	FC		1. 5mm floor slab , 1 147mm* 2795 mm Warranty 5 years	5 pc
3.	slide valve strip groove		TH0.9mm	2pc	9.	roofing tile		980 , TH0.38mm	6pc
			TH0.9mm	2pc	10.	ceiling tile		980 , TH0.18mm	6pc
4.	TUBE	Chassis purlin	50*100 , TH1.1mm	9pc	11.	cotton		50mm	1roll
			20*20 , TH0.9mm	2pc	12.	interior trim		Color steel shade Angle line shade Angle	1set
					13.	Sub-M		screws, structural glue, etc	1set
					14.	circuit		switch	+200/ set

Assemble Container House-A04

ITEM	SIZE	price(EXW)		
The spell is the packaging box (A04)	3M*6M*2.8M	1300 USD	Standard case	The circuit is extra 70 USD/pc



Assemble Container House-A04

specifications						
1	construction	upright	160*160*2800mm	4PC	2.3mmTH	
2		base frame main beam	160*35*5680mm	2PC	2.3mmTH	
3			160*35*2680mm	2PC	2.3mmTH	
4		base frame secondary beam	60*80*2980mm	9PC	1.3mmTH	
5		Top frame main beam	160*35*5680mm	2PC	2.3mmTH	
6			160*35*2680mm	2PC	2.3mmTH	
7		Top frame secondary beam	40*80*2980mm	3PC	1.2mmTH	
			50*70*5760mm	1PC	1.2mmTH	
			50*50*5760mm	2PC	1.2mmTH	
			16*19*5980mm	5PC	0.9mmTH	
8		structural connection	M10×20 outer hexagon screw	32PC	The column is connected with the main beam	
			M10*60 outer hexagon screw	6PC	40*80	
			M10*80 outer hexagon screw	18PC	60*80	
9		surface treatment	Electrostatic spraying plastic powder, surface wrinkle effect, color white			
10	Building Materials	wood sheathing	980 type	6pc	0.4mmColor steel small wave pressure tile, gray color	
		insulating layer	50mmTH glass fiber roll felt, bulk weight 14kg/m³, combustion performance is class A non-combustible.			
		hung ceiling	980 type	6pc	0.22mmColor steel small wave pressure tile, gray color	

Assemble Container House-A04

			Material specification/quantity		
11	wallboard		2510*1150*50mm	10pc	Foam color steel sandwich plate, double-sided 0.25mm gray plate, bulk weight 60kg, double buckle bone, double film
			2510*950*50mm	4pc	
			1000*950*50mm	2pc	
			410*950*50mm	2pc	
12	door		Single door (840x2035mm) C	1set	Steel painted door with anti-theft pressure lock
13	window		920*1100mm	2set	Plastic steel sliding window, single glass, with square tube anti-theft net
14	floor board		2820*1165mm	5pc	TH 18mm
15	deco		Color steel Angle aluminum	1set	aluminum angle
16	cess-pipe		2680mm	4pc	white
17	hardware fitting	Wall screw	4.8*70	65pc	
		Roof screw	5.5*45	108pc	
		FLOOR SCREWS	4.2*32	60pc	
		structural adhesive		5pc	
		Corner line, ceiling screws	4.2*13	330pc	

Assemble Container House-A05

item	size	price(EXW)		
The spell is the packaging box (A05)	3M*6M*2.8M	1438 USD	Standard case	The circuit is extra 70 USD/pc



Assemble Container House-A05

			Material specification/quantity			
1	cons truct ion	upright	160*160*2800mm	4pc	2.3mmTH	
2		base frame main beam	160*35*5680mm	2pc	2.3mmTH	
3			160*35*2680mm	2pc	2.3mmTH	
4		base frame secondary beam	60*80*2980mm	9pc	1.3mmTH	
5		Top frame main beam	160*35*5680mm	2pc	2.3mmTH	
6			160*35*2680mm	2pc	2.3mmTH	
7		Top frame secondary beam	40*80*2980mm	3pc	1.2mmTH	
8			50*70*5760mm	1pc	1.2mmTH	
9			50*50*5760mm	2pc	1.2mmTH	
10			16*19*5980mm	5pc	0.9mmTH	
11		structural connection	M10×20outer hexagon screw	32pc	The column is connected with the main beam	
			M10*60outer hexagon screw	6pc	40*80 retaining screw	
	M10*80outer hexagon screw		18pc	60*80 retaining screw		
12	surface treatment	Electrostatic spraying plastic powder, surface wrinkle effect, color white				
13		board	980 type	6pc	0.4mmColor steel small wave pressed tile, pressed flat at both ends, gray color	
14		insulating layer	50mmTHGlass filament cotton roll felt, bulk weight 14kg/m³, combustion performance is class A non-combustible			
15		Honeycomb ceiling panel	2860*400mm	15pc		

Assemble Container House-A05

			Material specification/quantity		
16	wallboard		2510*1150*50mm	13pc	EPS color steel sandwich plate, double-sided 0.3mm gray plate, volume weight 10kg, double buckle bone, double film
			1000*1150*50mm	2pc	
			410*1150*50mm	2pc	
17	door		(840x2035mm) B	1set	Steel paint door, fire loc
18	window		1120*1100mm	2set	Plastic steel sliding window, single glass, with anti-theft bar
19	floor		2820*1163mm	5pc	18mm TH fiber cement board
20	deco		5750*2pc 2750*2pc 2600*4pc	1set	
21	pipe		2680mm	4pc	white
22	Hardware fittings		4.8*70	65pc	
			5.5*45	108pc	
			4.2*32	60pc	
				5pc	
			4.2*13	330pc	

Price of accessory options

Product selection			
increase	price		
H	Each increase height 10cm/15 usd		
L	Within 500mm, +60 usd , each lengthening is added 90 usd , 2000mm 180 usd		
W	Widening within 500mm plus 80 usd, 500-1000mm plus 160 usd, the maximum 4500mm		
TH	Add 15 usd for every 0.1mm increase		
sheet	Each increase of 0.01mm increases 6 usd, and each increase of 0.05mm increases 30 usd		
fiber cement board	Each pc board increases by 5 usd, and each pc container has 5pc floor		
aluminum alloy door	70 usd/m²		
aluminum alloy window	45 usd/m²		
stairs	258 usd/set Built-in double running stairs 375 usd (excluding handrails)		
handrail	201 stainless steel handrail 20 usd /m, 304 stainless steel 22usd /m, 304 stainless steel +12mm toughened glass laminated 68usd /m		